



Nadelwaldgefährdung durch SO₂ - Immissionen

Auszug aus dem III. Meßprogramm des Landes NW für die Vegetationsperiode (1.4. - 31.10.) der Jahre 1965 - 1968




Anlage 1 zu Aufsatz W. KNABE:
Immissionsbelastung und Immissions-
gefährdung der Wälder im Ruhrgebiet



Anlage 1 zu Aufsatz W. KNABE:
Immissionsbelastung und Immissions-
gefährdung der Wälder im Ruhrgebiet

Immissionsbelastung $\bar{x}_{veg} > 0,08 \text{ mg SO}_2/\text{m}^3$




- Meßgebiet des III. Meßprogrammes (SO_2)
- alte Grenze des Umwandlungsgebietes rauch-
geschädigter Waldbestände (1966 - 1970)
- neuer Vorschlag des Förderungsgebietes für immissions-
belastete Waldbestände vom 13.1.1969

Hazards to Coniferous Forests from SO_2 in the Atmosphere

Extracts from the IIIrd Measurement Programme of the State of
North - Rhine - Westphalia for the Growing Seasons (April - Oct. 31)
from 1965 to 1968

Degree of Air Pollution $\bar{x}_{veg} > 0,08 \text{ mg SO}_2/\text{m}^3$



- area of the IIIrd. measurement programme (SO_2)
- border of area where the replacement of sensitive
species was subsidised from 1966 to 1970
- new proposal of the area with grants for forests which
suffer from air pollution made on January 13, 1969